

Anti-Twist lock for elastomer-sealed rotary/linear feedthrough, DN 40 ISO-KF



Anti-Twist lock





Illustration only

Anti-Twist lock for elastomer-sealed rotary/linear feedthrough, DN 40 ISO-KF

- Suppresses the rotational degree of freedom
- Can be installed after system installation and removed again as desired

Dimensions



Technical Data

Connection flange

Anti-Twist lock for elastomer-sealed rotary/linear feedthrough, DN 40 ISO-KF

DN 40 ISO-KF

Order number

Anti-Twist lock for elastomer-sealed rotary/linear feedthrough, DN 40 ISO-KF

Anti-Twist lock for elastomer-sealed rotary/linear feedthrough, DN 40 ISO-KF

120MDD040-0500-VS



Errors and/or changes excepted. - 5/14/2025

Are you looking for an optimum vacuum solution?

Talk to us:

Pfeiffer Vacuum Components & Solutions GmbH Germany

T +49 551 99963-0

info-cs@pfeiffer-vacuum.com

Or scan the barcode, to visit our web page:



<https://webportal.pfeiffer-vacuum.com/global/en/contact>

Follow Us On Social Media

#pfeiffervacuum



www.pfeiffer-vacuum.com

PFEIFFER 