



**Straight reducing piece,  
aluminum EN AW-  
6082/3.2315, DN 40-  
25 ISO-KF, length 40  
mm**

---



**PFEIFFER** 

# Reducing piece, straight

PFEIFFER 





Illustration only

**Straight reducing piece, aluminum EN AW-6082/3.2315, DN 40-25 ISO-KF, length 40 mm**

- Available in stainless steel or aluminum

## Dimensions



| Technical Data                  | Straight reducing piece, aluminum EN AW-6082/3.2315, DN 40-25 ISO-KF, length 40 mm |
|---------------------------------|------------------------------------------------------------------------------------|
| Materials in contact with media | Aluminum 3.2315/EN AW-6082                                                         |
| Nominal diameter reduced        | DN 25 ISO-KF                                                                       |
| Temperature range               | 196 – 150 °C                                                                       |
| Connection flange               | DN 40 ISO-KF – DN 25 ISO-KF                                                        |
| Pressure range                  | $1 \cdot 10^{-8}$ hPa – $5 \cdot 10^2$ hPa over pressure                           |
| Temperature range max.          | 150 °C   302 °F   423.15 K                                                         |
| Temperature range min.          | 196 °C   320.8 °F   77.15 K                                                        |

| Order number                                                                       | Straight reducing piece, aluminum EN AW-6082/3.2315, DN 40-25 ISO-KF, length 40 mm |
|------------------------------------------------------------------------------------|------------------------------------------------------------------------------------|
| Straight reducing piece, aluminum EN AW-6082/3.2315, DN 40-25 ISO-KF, length 40 mm | 110RRG040-025-40                                                                   |

Are you looking for an optimum vacuum solution?  
Talk to us:  
**Pfeiffer Vacuum Components & Solutions GmbH Germany**  
**T +49 551 99963-0**  
**info-cs@pfeiffer-vacuum.com**

Or scan the barcode, to visit our web page:



<https://webportal.pfeiffer-vacuum.com/global/en/contact>



Errors and/or changes excepted. - 5/14/2025

Follow Us On Social Media  
#pfeiffervacuum



[www.pfeiffer-vacuum.com](http://www.pfeiffer-vacuum.com)

**PFEIFFER** 