



**Viewport retainer for
optical glasses, KF-
flange with viewport
retainer, DN 40 ISO-KF**



PFEIFFER 

Viewport retainer




Illustration only

Viewport retainer for optical glasses, KF-flange with viewport retainer, DN 40 ISO-KF

- Simple replacement of glasses
- Accessories: Face wrench, optical glasses
- Glass not included

Dimensions



A	55 mm
B	24.8 - 25.8 mm
C	16 mm

Technical Data	Viewport retainer for optical glasses, KF-flange with viewport retainer, DN 40 ISO-KF
Temperature range	15 – 150 °C
Connection flange	DN 40 ISO-KF
Glass thickness	3 – 7 mm
Pressure range	$1 \cdot 10^{-8}$ hPa – $5 \cdot 10^2$ hPa over pressure
Temperature range max.	150 °C 302 °F 423.15 K
Temperature range min.	15 °C 5 °F 258.15 K

Order number	Viewport retainer for optical glasses, KF-flange with viewport retainer, DN 40 ISO-KF
Viewport retainer for optical glasses, KF-flange with viewport retainer, DN 40 ISO-KF	120GAG040-25

Are you looking for an optimum vacuum solution?
Talk to us:
Pfeiffer Vacuum Components & Solutions GmbH Germany
T +49 551 99963-0
info-cs@pfeiffer-vacuum.com

Or scan the barcode, to visit our web page:



<https://webportal.pfeiffer-vacuum.com/global/en/contact>



Errors and/or changes excepted. - 5/14/2025

Follow Us On Social Media
#pfeiffervacuum



www.pfeiffer-vacuum.com

PFEIFFER 