



**Centering ring with  
screen, stainless steel,  
FKM, DN 40 ISO-KF**

---



**PFEIFFER** 

# Centering ring with screen




Illustration only

## Centering ring with screen, stainless steel, FKM, DN 40 ISO-KF

- Material: Stainless steel
- Mesh size: approx. 1 mm

## Dimensions



## Technical Data

### Centering ring with screen, stainless steel, FKM, DN 40 ISO-KF

Materials in contact with media	Stainless steel 1.4301 (AISI 304)
Mesh	Approximately 1 mm
O-ring material	FKM
Temperature range	15 – 150 °C
Wire thickness	±0.3 mm   ±0.01 inch
Connection flange	DN 40 ISO-KF
Temperature range max.	150 °C   302 °F   423.15 K
Temperature range min.	15 °C   5 °F   258.15 K

Order number	Centering ring with screen, stainless steel, FKM, DN 40 ISO-KF
Centering ring with screen, stainless steel, FKM, DN 40 ISO-KF	122ZRD040

Are you looking for an optimum vacuum solution?  
Talk to us:  
**Pfeiffer Vacuum Components & Solutions GmbH Germany**  
**T +49 551 99963-0**  
**info-cs@pfeiffer-vacuum.com**

Or scan the barcode, to visit our web page:



<https://webportal.pfeiffer-vacuum.com/global/en/contact>



Errors and/or changes excepted. - 5/14/2025

Follow Us On Social Media  
#pfeiffervacuum



[www.pfeiffer-vacuum.com](http://www.pfeiffer-vacuum.com)

**PFEIFFER** 