



**Centering ring with
screen, stainless steel,
FKM, DN 50 ISO-KF**



PFEIFFER 

Centering ring with screen




Illustration only

Centering ring with screen, stainless steel, FKM, DN 50 ISO-KF

- Material: Stainless steel
- Mesh size: approx. 1 mm

Dimensions



A	52 mm
B	47 mm
C	3.9 mm
D	8 mm
E	5.33 mm

Technical Data

Centering ring with screen, stainless steel, FKM, DN 50 ISO-KF

Materials in contact with media	Stainless steel 1.4301 (AISI 304)
Mesh	Approximately 1 mm
O-ring material	FKM
Temperature range	15 – 150 °C
Wire thickness	±0.3 mm ±0.01 inch
Connection flange	DN 50 ISO-KF
Temperature range max.	150 °C 302 °F 423.15 K
Temperature range min.	15 °C 5 °F 258.15 K

Order number	Centering ring with screen, stainless steel, FKM, DN 50 ISO-KF
Centering ring with screen, stainless steel, FKM, DN 50 ISO-KF	122ZRD050

Are you looking for an optimum vacuum solution?
Talk to us:
Pfeiffer Vacuum Components & Solutions GmbH Germany
T +49 551 99963-0
info-cs@pfeiffer-vacuum.com

Or scan the barcode, to visit our web page:



<https://webportal.pfeiffer-vacuum.com/global/en/contact>



Errors and/or changes excepted. - 5/14/2025

Follow Us On Social Media
#pfeiffervacuum



www.pfeiffer-vacuum.com

PFEIFFER 