



**Centering ring with  
outer ring, stainless  
steel 316Ti/1.4571, FKM,  
DN 63 ISO-K**

---



**PFEIFFER** 

# Centering ring with outer ring




Illustration only

## Centering ring with outer ring, stainless steel 316Ti/1.4571, FKM, DN 63 ISO-K

- Aluminum outer ring
- Not to be used for the installation of turbo pumps! Use the fastening elements given in the corresponding operating instructions.

## Dimensions



## Technical Data

Centering ring with outer ring, stainless steel 316Ti/1.4571, FKM, DN 63 ISO-K	
O-ring material	FKM
Temperature range	15 – 150 °C
Connection flange	DN 63 ISO-K
Material	Stainless steel 316Ti / 1.4571
Temperature range max.	150 °C   302 °F   423.15 K
Temperature range min.	15 °C   5 °F   258.15 K

Order number	Centering ring with outer ring, stainless steel 316Ti/1.4571, FKM, DN 63 ISO-K
Centering ring with outer ring, stainless steel 316Ti/1.4571, FKM, DN 63 ISO-K	322ZRA063

Are you looking for an optimum vacuum solution?  
Talk to us:  
**Pfeiffer Vacuum Components & Solutions GmbH Germany**  
**T +49 551 99963-0**  
**info-cs@pfeiffer-vacuum.com**

Or scan the barcode, to visit our web page:



<https://webportal.pfeiffer-vacuum.com/global/en/contact>



Errors and/or changes excepted. - 5/14/2025

Follow Us On Social Media  
#pfeiffervacuum



[www.pfeiffer-vacuum.com](http://www.pfeiffer-vacuum.com)

**PFEIFFER** 