



**Blank flange, stainless  
steel 316L/1.4404,  
DN 80 ISO-K**

---



**PFEIFFER** 


# Blank flange



Illustration only

**Blank flange, stainless steel 316L/1.4404, DN 80 ISO-K**

## Dimensions



## Technical Data

### Blank flange, stainless steel 316L/1.4404, DN 80 ISO-K

|                                 |                                                                                                                                                                      |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Materials in contact with media | Stainless steel 1.4404 (AISI 316L)                                                                                                                                   |
| Temperature range               | 196 – 350 °C                                                                                                                                                         |
| Connection flange               | DN 80 ISO-K                                                                                                                                                          |
| Pressure range                  | 1 · 10 <sup>-8</sup> hPa – 1.5 · 10 <sup>3</sup> hPa over pressure (elastomer seal); 1 · 10 <sup>-9</sup> hPa – 1.5 · 10 <sup>3</sup> hPa over pressure (metal seal) |
| Temperature range max.          | 350 °C   662 °F   623.15 K                                                                                                                                           |
| Temperature range min.          | 196 °C   320.8 °F   77.15 K                                                                                                                                          |

| Order number                                              | Blank flange, stainless steel 316L/1.4404,<br>DN 80 ISO-K |
|-----------------------------------------------------------|-----------------------------------------------------------|
| Blank flange, stainless steel 316L/1.4404,<br>DN 80 ISO-K | 370FBL080                                                 |

Are you looking for an optimum vacuum solution?  
Talk to us:  
**Pfeiffer Vacuum Components & Solutions GmbH Germany**  
**T +49 551 99963-0**  
**info-cs@pfeiffer-vacuum.com**

Or scan the barcode, to visit our web page:



<https://webportal.pfeiffer-vacuum.com/global/en/contact>



Errors and/or changes excepted. - 5/14/2025

Follow Us On Social Media  
#pfeiffervacuum



[www.pfeiffer-vacuum.com](http://www.pfeiffer-vacuum.com)

**PFEIFFER** 