



**Welding flange,  
rotatable with imperial  
(Inch) thread, stainless  
steel 304L, DN 63 CF**

---



**PFEIFFER** 


# Welding flange, rotatable



Illustration only

**Welding flange, rotatable with imperial (Inch) thread, stainless steel 304L, DN 63 CF**

## Dimensions



## Technical Data

Welding flange, rotatable with imperial (Inch) thread, stainless steel 304L, DN 63 CF	
Materials in contact with media	Stainless steel (AISI 304L)
Number of screws	8 Pieces
Pipe dimension	63.5 mm × 1.65 mm
Thread	5/16" - 24 UNF
Temperature range	196 – 300 °C
Connection flange	DN 63 CF
Pressure range	1 · 10 <sup>-12</sup> hPa – to ambient pressure
Temperature range max.	300 °C   572 °F   573.15 K
Temperature range min.	196 °C   320.8 °F   77.15 K

Order number	Welding flange, rotatable with imperial (Inch) thread, stainless steel 304L, DN 63 CF
Welding flange, rotatable with imperial (Inch) thread, stainless steel 304L, DN 63 CF	420FAD063-63-T

Are you looking for an optimum vacuum solution?  
Talk to us:  
**Pfeiffer Vacuum Components & Solutions GmbH Germany**  
**T +49 551 99963-0**  
**info-cs@pfeiffer-vacuum.com**

Or scan the barcode, to visit our web page:



<https://webportal.pfeiffer-vacuum.com/global/en/contact>



Errors and/or changes excepted. - 5/14/2025

Follow Us On Social Media  
#pfeiffervacuum



[www.pfeiffer-vacuum.com](http://www.pfeiffer-vacuum.com)

**PFEIFFER** 