



**Welding flange,  
rotatable with imperial  
(Inch) thread, stainless  
steel 304L, DN 75 CF**

---



**PFEIFFER** 


# Welding flange, rotatable



Illustration only

**Welding flange, rotatable with imperial (Inch) thread, stainless steel 304L, DN 75 CF**

## Dimensions



A	17.5 mm
B	72.1 mm
C	76.4 mm
D	5/16"-24

## Technical Data

**Welding flange, rotatable with imperial (Inch) thread, stainless steel 304L, DN 75 CF**

Materials in contact with media	Stainless steel (AISI 304L)
Number of screws	10 Pieces
Pipe dimension	76.1 mm × 2 mm
Thread	5/16" - 24 UNF
Temperature range	196 – 300 °C
Connection flange	DN 75 CF
Pressure range	1 · 10 <sup>-12</sup> hPa – to ambient pressure
Temperature range max.	300 °C   572 °F   573.15 K
Temperature range min.	196 °C   320.8 °F   77.15 K

Order number	Welding flange, rotatable with imperial (Inch) thread, stainless steel 304L, DN 75 CF
Welding flange, rotatable with imperial (Inch) thread, stainless steel 304L, DN 75 CF	420FAD075-76-T

Are you looking for an optimum vacuum solution?  
Talk to us:  
**Pfeiffer Vacuum Components & Solutions GmbH Germany**  
**T +49 551 99963-0**  
**info-cs@pfeiffer-vacuum.com**

Or scan the barcode, to visit our web page:



<https://webportal.pfeiffer-vacuum.com/global/en/contact>



Errors and/or changes excepted. - 5/14/2025

Follow Us On Social Media  
#pfeiffervacuum



[www.pfeiffer-vacuum.com](http://www.pfeiffer-vacuum.com)

**PFEIFFER** 