



**Welding flange, with  
imperial thread,  
stainless steel 304L,  
DN 75 CF**

---



**PFEIFFER** 


# Welding flange



Illustration only

Welding flange, with imperial thread, stainless steel 304L, DN 75 CF

### Dimensions



| Technical Data                  | Welding flange, with imperial thread, stainless steel 304L, DN 75 CF |
|---------------------------------|--|
| Materials in contact with media | Stainless steel (AISI 304L)  |
| Number of screws                | 10 Pieces  |
| Pipe dimension                  | 76.1 mm × 2 mm   |
| Thread                          | 5/16" - 24 UNF   |
| Temperature range               | 196 – 300 °C   |
| Connection flange               | DN 75 CF   |
| Pressure range                  | 1 · 10 <sup>-12</sup> hPa – to ambient pressure                      |
| Temperature range max.          | 300 °C   572 °F   573.15 K   |
| Temperature range min.          | 196 °C   320.8 °F   77.15 K  |

| Order number  | Welding flange, with imperial thread,<br>stainless steel 304L, DN 75 CF |
|---|---|
| Welding flange, with imperial thread,<br>stainless steel 304L, DN 75 CF | 420FAN075-76-T  |

Are you looking for an optimum vacuum solution?  
Talk to us:  
**Pfeiffer Vacuum Components & Solutions GmbH Germany**  
**T +49 551 99963-0**  
**info-cs@pfeiffer-vacuum.com**

Or scan the barcode, to visit our web page:



<https://webportal.pfeiffer-vacuum.com/global/en/contact>



Errors and/or changes excepted. - 5/14/2025

Follow Us On Social Media  
#pfeiffervacuum



[www.pfeiffer-vacuum.com](http://www.pfeiffer-vacuum.com)

**PFEIFFER** 