




A red pole with many white directional signs pointing in various directions, each labeled with a distance in kilometers. The signs are for various cities and countries, including Berlin, London, Paris, Rome, and others. The distances range from 501 km to 9,658 km.

PFEIFFER 


Welding flange



Welding flange, stainless steel 304L, DN 350 CF

Illustration only

Dimensions



Technical Data	Welding flange, stainless steel 304L, DN 350 CF
Materials in contact with media	Stainless steel (AISI 304L)
Number of screws	36 Pieces
Pipe dimension	356 mm × 3 mm
Temperature range	196 – 300 °C
Connection flange	DN 350 CF
Pressure range	1 · 10 ⁻¹² hPa – to ambient pressure
Temperature range max.	300 °C 572 °F 573.15 K
Temperature range min.	196 °C 320.8 °F 77.15 K

Order number	Welding flange, stainless steel 304L, DN 350 CF
Welding flange, stainless steel 304L, DN 350 CF	420FAN350-356

Are you looking for an optimum vacuum solution?
Talk to us:
Pfeiffer Vacuum Components & Solutions GmbH Germany
T +49 551 99963-0
info-cs@pfeiffer-vacuum.com

Or scan the barcode, to visit our web page:



<https://webportal.pfeiffer-vacuum.com/global/en/contact>



Errors and/or changes excepted. - 5/14/2025

Follow Us On Social Media
#pfeiffervacuum



www.pfeiffer-vacuum.com

PFEIFFER 