



PFEIFFER 

Blank flange, rotatable





Illustration only

Blank flange, rotatable, stainless steel 304L, DN 160 CF

Dimensions



Technical Data	Blank flange, rotatable, stainless steel 304L, DN 160 CF
Materials in contact with media	Stainless steel (AISI 304L)
Number of screws	20 Pieces
Temperature range	196 – 300 °C
Connection flange	DN 160 CF
Pressure range	1 · 10 ⁻¹² hPa – to ambient pressure
Temperature range max.	300 °C 572 °F 573.15 K
Temperature range min.	196 °C 320.8 °F 77.15 K

Order number	Blank flange, rotatable, stainless steel 304L, DN 160 CF
Blank flange, rotatable, stainless steel 304L, DN 160 CF	420FBD160

Are you looking for an optimum vacuum solution?
Talk to us:
Pfeiffer Vacuum Components & Solutions GmbH Germany
T +49 551 99963-0
info-cs@pfeiffer-vacuum.com

Or scan the barcode, to visit our web page:



<https://webportal.pfeiffer-vacuum.com/global/en/contact>



Errors and/or changes excepted. - 5/14/2025

Follow Us On Social Media
#pfeiffervacuum



www.pfeiffer-vacuum.com

PFEIFFER 