



**Screw set, zinc-plated  
steel, strength class  
8.8, DN 63-100 ISO-  
K/ISO-F**

---



**PFEIFFER** 

# Screw set




Illustration only

## Screw set, zinc-plated steel, strength class 8.8, DN 63-100 ISO-K/ISO-F

- For connecting two ISO-F flanges
- For connecting an ISO-F flange and an ISO-K/ISO-F bolt ring
- For connecting two ISO-K/ISO-F bolt rings
- Suitable for use with metal and elastomer seals
- Hexagon head screws, each with two washers and one nut
- Not to be used for the installation of turbo pumps! Use the fastening elements given in the corresponding operating instructions.

## Dimensions



Technical Data	Screw set, zinc-plated steel, strength class 8.8, DN 63-100 ISO-K/ISO-F
Package	8 Pieces
Connection flange	DN 63 – DN 100 ISO-K/ISO-F
Material	Zinc-plated Steel, strength class 8.8

Order number	Screw set, zinc-plated steel, strength class 8.8, DN 63-100 ISO-K/ISO-F
Screw set, zinc-plated steel, strength class 8.8, DN 63-100 ISO-K/ISO-F	550BSC100

Are you looking for an optimum vacuum solution?  
Talk to us:  
**Pfeiffer Vacuum Components & Solutions GmbH Germany**  
**T +49 551 99963-0**  
**info-cs@pfeiffer-vacuum.com**

Or scan the barcode, to visit our web page:



<https://webportal.pfeiffer-vacuum.com/global/en/contact>



Errors and/or changes excepted. - 5/14/2025

Follow Us On Social Media  
#pfeiffervacuum



[www.pfeiffer-vacuum.com](http://www.pfeiffer-vacuum.com)

**PFEIFFER** 