



**Screw set, zinc-plated
steel, strength class
8.8, DN 320-500 ISO-
K/ISO-F**



PFEIFFER 

Screw set




Illustration only

Screw set, zinc-plated steel, strength class 8.8, DN 320-500 ISO-K/ISO-F

- For connecting two ISO-F flanges
- For connecting an ISO-F flange and an ISO-K/ISO-F bolt ring
- For connecting two ISO-K/ISO-F bolt rings
- Suitable for use with metal and elastomer seals
- Hexagon head screws, each with two washers and one nut
- Not to be used for the installation of turbo pumps! Use the fastening elements given in the corresponding operating instructions.

Dimensions



Technical Data	Screw set, zinc-plated steel, strength class 8.8, DN 320-500 ISO-K/ISO-F
Package	16 Pieces
Connection flange	DN 320 – DN 500 ISO-K/ISO-F
Material	Zinc-plated Steel, strength class 8.8

Order number	Screw set, zinc-plated steel, strength class 8.8, DN 320-500 ISO-K/ISO-F
Screw set, zinc-plated steel, strength class 8.8, DN 320-500 ISO-K/ISO-F	550BSC500

Are you looking for an optimum vacuum solution?
Talk to us:
Pfeiffer Vacuum Components & Solutions GmbH Germany
T +49 551 99963-0
info-cs@pfeiffer-vacuum.com

Or scan the barcode, to visit our web page:



<https://webportal.pfeiffer-vacuum.com/global/en/contact>



Errors and/or changes excepted. - 5/14/2025

Follow Us On Social Media
#pfeiffervacuum



www.pfeiffer-vacuum.com

PFEIFFER 